Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		S106 and transmi\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/03 08:49
		S97 and threshold and frequen\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 13:31
·		S85 and frequen\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON .	2006/05/01 17:13
		S59 and (search near1 mean\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 13:06
L1	1	("20040139105").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/12/15 13:07
L2 _.		1 and "self-organizing map"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 13:07
L3	1	("5983237").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/12/15 15:04
L4	1	L3 and network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 15:04
L5	[*] 800	"self-organizing map"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/12/15 15:04

		•				
L6	800	"self-organizing map"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR ·	ON	2006/12/15 15:05
S1	1	("20040139105").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/04/29 15:32
S2	1	S1 and dither	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/29 13:51
S3	1	S1 and (display near1 point)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/29 13:57
S4	. 3	("5995978", "5983237", "20020069218").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/29 14:16
S5	1	(US-5995978-\$).did.	USPAT	OR ·	OFF	2006/04/29 14:15
S6	0	S5 and node	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/29 14:16
S7	1	(US-5983237-\$).did.	USPAT	OR	OFF	2006/04/29 14:16
S8	0	S7 and node	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/29 14:19
S9	0	S1 and "array of nodes"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON .	2006/04/29 14:20
S10		S1 and "array of node"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/29 14:20

S11	1	S1 and "array"	US-PGPUB;	OR	ON	2006/04/29 14:29
			USPAT; USOCR; EPO; JPO; IBM_TDB		·	•
S12	. 1	S1 and cluster	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/29 14:30
S13	32	("5983237").URPN.	USPAT	OR	OFF	2006/04/29 14:45
S14	1	S13 and (point with position)	USPAT	OR	ON	2006/04/29 15:24
S15	18	S13 and (position)	USPAT	OR	ON	2006/04/29 15:55
S16	17	S15 not S14	USPAT	OR	ON	2006/04/29 15:31
S17	0	S13 and (array with node)	USPAT	OR	ON	2006/04/29 15:31
S18	1	S1 and (array with node)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/04/29 15:32
S19	93	(search with engine) and (array with node)	USPAT	OR	ON	2006/04/29 15:56
S20	60	S19 and position	USPAT	OR	ON	2006/04/29 15:56
S21	15	(search with engine) and (array with node with position)	USPAT.	OR	ON	2006/04/29 15:57
S22	15	S21 and point	USPAT	OR	ON	2006/04/29 17:04
S23	0	("6959303").URPN.	USPAT	.OR	OFF	2006/04/29 16:08
S24	0	("6959303").URPN.	USPAT	OR	OFF	2006/04/29 16:08
S25	5	S21 and frequenc\$4	USPAT	OR	·ON	2006/04/29 16:14
S26	1	(US-6959303-\$).did.	USPAT	OR	OFF	2006/04/29 17:04
S27	1	S26 and point	USPAT	OR	ON	2006/04/29 17:04
S28	1	S26 and (display\$3)	USPAT	OR	ON	2006/04/29 17:07
S29	1	S26 and result	USPAT	OR	ON	2006/04/29 17:08
S30	32	("5983237").URPN.	USPAT .	OR	OFF	2006/04/29 17:24
S31	2	S30 and (display\$3 with point)	USPAT	OR	ON	2006/04/29 17:37
S32	25	S30 and point	USPAT	OR	ON	2006/04/29 17:24
S33	23	S32 not S31	USPAT	OR	ON	2006/04/29 17:25
S34	0	S30 and (output\$3 with point)	USPAT	OR	ON	2006/04/29 17:36
S35	1	("6651054").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/04/29 17:36

	ı · · · · · · · ·				· · · · · ·	
S36	1	S35 and (display\$3 with point)	USPAT	OR	ON	2006/04/29 17:40
S37 .	0	S35 and array	USPAT	OR	ON	2006/04/29 17:40
S38	36	"5983237"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/04/29 17:49
S39	1	("5983237").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/04/29 17:49
S40	1	(US-5983237-\$).did.	USPAT	OR	OFF	2006/05/01 11:20
S41	1	S40 and point	USPAT	OR	ON	2006/05/01 11:21
S42	1	S40 and position	USPAT	OR	ON	2006/05/01 11:31
S43	0	S40 and (search\$3 with select\$4)	USPAT	OR	ON .	2006/05/01 11:31
S44	1	S40 and (search\$3 with criter\$)	USPAT	OR	ON .	2006/05/01 11:32
S45	1	S40 and search\$3	USPAT	OR	ON	2006/05/01 11:34
S46	1	S40 and position	USPAT	OR	ON	2006/05/01 11:54
S47	0	S40 and (position with array)	USPAT	OR	ON .	2006/05/01 11:35
S48	· 0	S40 and (position with vector)	USPAT	OR	ON	2006/05/01 11:35
S49	1	S40 and tree	USPAT	OR	ON	2006/05/01 11:58
S50	1	S40 and gui	USPAT	OR	ON	2006/05/01 11:58
S51	1	S40 and gui and display\$3	USPAT	OR .	ON	2006/05/01 11:58
S52 _.	1	S40 and gui and display\$3 and point	USPAT	OR .	ON	2006/05/01 13:34
S53	1	S40 and gui and display\$3	USPAT	OR	ON	2006/05/01 13:39
S54	1	S40 and map\$4	USPAT	OR ·	ON ·	2006/05/01 13:57
S55	1	S40 and vector and array and matrix	USPAT	OR	ON	2006/05/01 14:12
S56	0	S40 and frequenc\$	USPAT	OR	ON	2006/05/01 14:14
S57	Ō	S40 and occurrenc\$	USPAT	OR	ON	2006/05/01 14:22
S58	1	S40 and threshold	USPAT	OR	ON	2006/05/01 14:22
S59	. 1	("20040139105").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/01 14:41
S60	0	S40 and "search means"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/01 14:39

			•			
S61	. 0	S59 and "search means"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/01 14:40
S62	0	S59 and "search mean"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/01 14:40
S63	0	S59 and "search mean"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	ON	2006/05/01 14:40
S64		S59 and (search near1 mean\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON .	2006/05/01 14:40
S65	. 0	S59 and (search with mean\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 14:40
S66	1	S59 and search	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/01 14:56
S67	1	S40 and cluster	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 14:57
S68	1	S40 and cluster\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 15:46
S69	1	S59 and (display\$3 with label)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 15:49
S70	1	S59 and label	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 15:49

S71	4	(US-6847966-\$ or US-6782395-\$ or US-6493705-\$ or US-6959303-\$).did.	USPAT	OR	OFF	2006/05/01 16:15
S72	1	S71 and label	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 16:16
\$73	0	S71 and cluster\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 16:17
S74	0	S71 and cluster\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 16:17
S75	1,	("6651054").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/01 16:17
S76	0	S75 and label\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 16:17
S77	0	S75 and cluster\$	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 16:18
· S78	1998	label\$3 with cluster\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 16:18
S79	96	label\$3 with cluster\$3 with word	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 16:24
S80	6	label\$3 with cluster\$3 with word with select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON ·	2006/05/01 16:19

			T.,,		01:	2006/05/04 15 5
S81	80	S79 and point	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 16:24
S82 ·	75	S81 not S80	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 17:12
S83	56	("6460036").URPN.	USPAT	OR	OFF	2006/05/01 16:28
S84		"20020138487"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON .	2006/05/01 17:12
S85	·1	("20020138487").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/05/01 17:12
S86	1	S85 and frequen\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	ON	2006/05/01 17:15
S87		S85 and (frequen\$5 or occurrenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/01 17:15
S88	0	("20020138487A1").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/02 10:25
S89	1	("20020138487").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/05/02 10:26
S90	1	("5983237").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/02 10:26

S91	0	("0002or3").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/02 10:26
S92	2	S89 S90	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/02 10:33
S93	0	S92 and portable	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:26
S94	1	S92 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:26
S95		S92 and (computer or device)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 10:34
·S96	1	("7031909").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/02 13:25
S97	1	("5754938").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/02 13:26
S98	1	S97 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 13:31
S99 ·	1	S97 and threshold and frequen\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 13:38
S10 0	1	S97 and threshold and frequen\$5 and occurr\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	ON	2006/05/02 14:13

			_			
S10 1	4748	threshold and (frequen\$5 with occurr\$5) and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 13:49
S10 2	. 1	S97 and threshold and frequen\$5 and occurr\$5 and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 14:59
S10 3	0	S97 and portable	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/02 15:00
S10 4	1	S97 and device	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	ON	2006/05/02 15:00
S10 5	1.	S97 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON .	2006/05/02 15:00
S10 6	1	("5983237").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 08:05
S10 7		S106 and (program\$4 or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/03 08:42
S10 8		S106 and storage	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	ON	2006/05/03 08:48
S10 9	0	S106 and transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/03 08:49
S11 0	0	S106 and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/05/03 08:51

S11 1	1	S106 and network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR .	ON	2006/05/03 08:51
		_'	IBM_TDB			